

## DS-2CE56D0T-IT3 HD1080P EXIR Turret Camera



### Key Features

- 2 Megapixel high-performance CMOS
- Analog HD output, up to 1080P resolution
- True Day/Night, Smart IR
- EXIR technology, up to 40m IR distance
- IP66 weatherproof




## Specifications

| <b>Camera</b>        |  |
|----------------------|--|
| Image Sensor         | 2MP CMOS Image Sensor  |
| Signal System        | PAL/NTSC   |
| Effective Pixels     | 1920(H)*1080(V)  |
| Min. illumination    | 0.01 Lux @ (F1.2,AGC ON),0 Lux with IR   |
| Shutter Time         | 1/25(1/30)s to 1/50,000s   |
| Lens                 | 3.6mm (2.8mm, 6mm, 8mm, 12mm, 16mm optional)   |
|                      | Angle of View: 103°(2.8mm), 82.2°(3.6mm), 54°(6mm), 37.7°(8mm), 24.2°(3.6mm), 18.8°(6mm) |
| Lens Mount           | M12  |
| Day & Night          | ICR  |
| Angle Adjustment     | Pan: 0 - 360°, Tilt: 0 - 75°, Rotation: 0 - 360°   |
| Synchronization      | Internal synchronization   |
| Video Frame Rate     | 1080p@25fps/1080p@30fps  |
| HD Video Output      | 1 Analog HD output   |
| S/N Ratio            | >62dB  |
| <b>General</b>       |  |
| Operating Conditions | -20 °C - 45 °C (-4 °F - 113 °F), Humidity 90% or less (non-condensing)                   |
| Power Supply         | 12 VDC ± 15%   |
| Power Consumption    | Max. 4W  |
| Protection Level     | IP66   |
| IR Range             | Up to 40m  |
| Dimension            | Φ110 × 93.2 mm(Φ4.33" × 3.67")   |
| Weight               | 350 g  |

## Order Models

DS-2CE56D0T-IT3

## Dimensions



## Accessories



DS-1272ZJ-110-TRS  
Wall Mounting



DS-1275ZJ  
Vertical Pole Mounting



DS-1276ZJ  
Corner Mounting



DS-1H18  
Video Balun



X41T  
Camera Tester



DS-1280ZJ-S  
Junction box



DS-1281ZJ-S  
Inclined Ceiling Mounting

Distributed by



### Headquarters

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
overseasbusiness@hikvision.com

**Hikvision Poland**  
T +48-22-460-01-50  
poland@hikvision.com

**Hikvision USA**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision India**  
T +91-22-28469900  
sales@pramahikvision.com

**Hikvision UK**  
T +44-1628-9021-4  
support.uk@hikvision.com

**Hikvision Europe**  
T +31-23-5542770  
saleseuro@hikvision.com

**Hikvision Italy**  
T +39-0438-6902  
info.it@hikvision.com

**Hikvision Singapore**  
T +65-6684-4718  
sg@hikvision.com

**Hikvision Middle East**  
T +971-4-8816086  
salesme@hikvision.com

**Hikvision France**  
T +33(0)1-85-330-444  
info.fr@hikvision.com

**Hikvision Oceania**  
T +61-2-8599-4233  
salesau@hikvision.com

**Hikvision Russia**  
T +7-495-669-67-99  
sateru@hikvision.com

**Hikvision Spain**  
T +34-91-737-16-55  
info.es@hikvision.com

**Hikvision Hong Kong**  
T +852-2151-1761