








IndigoVision

# Fixed Camera Mount & Accessory Matrix

	GX Range, HD Bullet Camera	BX Range, HD/4MP Bullet Camera	BX Range, HD/5MP Fixed Camera	Ultra Range, Ultra 1K Fixed Camera	Ultra Range, Ultra 5K Fixed Camera
					
Mount/Accessory	Standard	Standard	Standard	Standard	Environmental Enclosure
Wall Mount Bracket	-	-	-	-	110130*
Corner Mount Adaptor	-	130184	-	-	-
Pole Mount Adaptor	-	130083	-	-	-
Junction Box	-	130084	-	-	-
Power Junction Box	-	130172	-	-	-
Power Supply	130176	110064; 130176	110064; 130176	110004; 110062; 130176	-

\* Included as standard with camera with enclosure.

Mount Name	Camera Range	Dimensional Drawing	Product Codes
Wall Mount Bracket	Ultra 5K, Ultra Range	<p>View on Side Face</p> <p>View on Back Face</p> <p>View on Top Face</p>	110130
Corner Mount Adaptor	BX Range	<p>View on Front Face</p> <p>View on Side Face</p> <p>View on Top Face</p>	130184
Pole Mount Adaptor	BX Range	<p>View on Front Face</p> <p>View on Side Face</p> <p>View on Top Face</p>	130083
Junction Box	BX Range	<p>View on Bottom Face</p> <p>View on Side Face</p> <p>View on Top Face</p>	130084

Mount Name	Camera Range	Dimensional Drawing	Product Codes
Power Junction Box	BX Range	<p>The drawing shows three views of the Power Junction Box. The top view shows a rectangular box with a width of 248mm and a height of 287mm. Key internal dimensions include 84.0mm, 70.7mm, 48.0mm, 70.7mm, 90.0mm, and 119mm. A mounting hole is labeled 'M6x 10.0mm'. The bottom view shows a width of 160mm and a height of 170mm, with a central opening of 84.0mm. The side view shows a height of 106mm and a depth of 1/2".</p>	130172

### Power Supplies

Product Code	Input Voltage	Input Current (Max)	Input Connector	Output Voltage	Output Current (Max)	Output Connector	Operating Temperature Range	Dimensions (D x W x H)
110004	100-240VAC	0.5A	IEC320-C14	24V DC	0.625A	Bare Wires	0°C to 50°C	100mm x 59.0mm x 33.0mm
110062	100-240VAC	0.4A	IEC320-C14	24V DC	0.62A	Bare Wires	-30°C to 65°C	91.0mm x 38.0mm x 36.0mm
110064	100-240VAC	0.8A	IEC320-C14	12V DC	2.50A	2 Pin Female Connector	0°C to 50°C	118mm x 52.0mm x 35.0mm
130176	100-240VAC	2.0A	IEC320-C14	56V DC	0.67A	RJ45 Female Connector	-20°C to 40°C	166mm x 80.0mm x 44.0mm