



SMART VIDEO PHONE OPENS UP A NEW PARADIGM

SMART VIDEOPHONE

SMART VDP enables a visitor identification via smart phones and provides a recording capability of still images and video of visitors.

Up to 4 Smartphones

Visitor identification and calling enabled via maximum four smartphones simultaneously from anywhere (a door releasing function optional)

HD Quality Display

More vivid image display enabled via 7" wide LCD application

Still Image and Video Recording


Up to 500 still images and 500 min video recording capacity (8Gbyte SD Card Included)

SMART VIDEOPHONE


SMART VIDEOPHONE OPENS UP A NEW PARADIGM IN VIDEOPHONE INDUSTRY BY PROVIDING A WIRELESS NETWORK CONNECTION VIA INTERNET TO VIEW AND TALK WITH A VISITOR FROM A SMARTPHONE. IT ALSO PROVIDES STILL IMAGE AND VIDEO STORING CAPABILITIES TO UPGRADE SECURITY TO THE NEXT LEVEL.




SMART VIDEOPHONE (User registration)



1 Touch 'Applications' icon and select 'Create account' button




2 Enter your ID ('ID check' necessary for validity), password and email address and touch 'OK' button.




3 If a revision is necessary, enter new information and touch 'Update' button to update information.


SMART VIDEOPHONE VIEWER (Registration)



Enter the same ID/Password registered at CDV-70UX




Read the user agreement and check the box to agree on the terms



As connection is completed, function list is displayed. Touch 'Next'.



Individual Entrance Select 'Accept' / 'Reject' button



Touch 'Door Open' button and then, review the warning message carefully prior to granting access



iOS 5.0 and / or upper version



Android 2,2 and/or upper version

SMART VIDEOPHONE CDV-70UX



FEATURES

- SMART VDP enables a visitor identification via smart phones and provides a recording capability of still images and video of visitors.

FUNCTION

- Expandable up to 2 monitors, 2 cameras, and 2 interphones

Smartphone

Visitor identification and calling enabled via Smartphone from anywhere (a door releasing function optional)

HD Quality Display

More vivid image display enabled via 7" wide LCD application

Still Image and Video Recording

Up to 500 still images and 500 mins video recording capacity (8Gbyte SD Card Included)

SPECIFICATION

Power source	AC 100~240V, 50/60Hz
LCD size	7inch wide color LCD
Mount type	Surface-mounted type
Wiring	Door camera : 4wires Interphone : 4wires
Effective range	Door camera : 50m(∅0.65) Interphone : 20m(∅0.65)
OS	Android OS, iOS
Smartphone connection	WIFI (Access Point)
Dimension(mm)	311(W)x168(H)x32(D)
Memory (8Gbyte SD Card Included)	Still Image (500 cuts) Video (500 mins)

CONNECTABLE PRODUCTS



CHM-890B



DRC-4U
(Blue)



DRC-4U
(White)



DRC-40K

COMMAX Co.,Ltd.

#513-11, Sangdaewon-dong, Jungwon-gu, Seongnam-city, Kyunggi-do, Korea

TEL. +82-31-739-3540~50 FAX. +82-31-745-2133

www.commax.com