



Certificate of Conformity

Product Certification Scheme 5

Certificate No. P20938-01-16-INT

This certificate applies to the product(s)

Passive infrared detectors and opening contacts (magnetic)

with name and/or type designation

**RWT92, RWT92P, RWT72X, RWT72M, WLT72P,
RWT72I and WLT72C**

Placed on the market by and produced in the manufacturing plant by

Risco Ltd.

Head office: 14 Hachoma Street, 75655 Rishon LeZion, Israel

Manufacturing plant: Risco Ltd., 6 Sderot Yahalom Street, Kiryat-Gat, Israel

Manufacturing plant: AsteelFlash Suzhou Co., Ltd., No.8Gutang Road, Wujiang Economic and Technological Development Zone, Suzhou City, Jiangsu Province, P.R. China

This certificate attests that all provisions concerning the assessment and the performance described in the standard(s)

EN 50131-2-2:2008

EN 50131-2-6:2008

are applied and that the product(s) fulfil(s) all the prescribed requirements

This Certificate is valid until 2020-09-15

Høvik, Norway 2016-09-15

For Applica Test & Certification AS

Vibeke Vigmostad

Vibeke Vigmostad, Certification Manager



PROD 022

Notice: The certificate is subject to terms and conditions overleaf. Any significant changes in design, construction of certified product and/or significant changes in production process may render this certificate invalid.

Applica Test & Certification AS, Veritasveien 1, 1363 Høvik, Norway. www.applica.no

Certificate History		
Revision	Description	Issue Date
-	Applica Certificate No. P20938-01-16-INT	2016-09-15

Product(s) Covered by this Certificate			
Product Name	Product Description	Security Grade Environmental Class	Applied Standards
RWT92	Passive infrared detectors Wire-free interconnections 1-way communication	Security Grade 2 Environmental Class II	EN 50131-2-2:2008 in conjunction with EN 50131-1:2006/A1:2009 EN 50131-6:2008 EN 50130-4:2011/A1:2014 EN 50130-5:2011
RWT92P	Passive infrared detector PET Wire-free interconnections 1-way communication		EN 50131-2-6:2008 in conjunction with EN 50131-1:2006/A1:2009 EN 50131-6:2008 EN 50130-4:2011/A1:2014 EN 50130-5:2011
RWT72M RWT72I	Opening contact (magnetic) Wire-free interconnections 1-way communication		EN 50131-1:2006/A1:2009 EN 50131-6:2008 EN 50130-4:2011/A1:2014 EN 50130-5:2011
RWT72X WLT72P WLT72C	Opening contacts (transmitter) Wire-free interconnections 1-way communication		EN 50131-1:2006/A1:2009 EN 50131-6:2008 EN 50130-4:2011/A1:2014 EN 50130-5:2011

Application/Limitation

- Suitable for indoor application
- PET immunity feature is not evaluated by Applica Test & Certification AS

Document(s) Reviewed	
Document ID	Description/Referent standard(s)
RISIAS_EN50131-2-2_24187	EN 50131-1:2006/A1:2009 EN 50131-2-2:2008
RISIAS_EN50131-2-6.24188	EN 50131-1:2006/A1:2009 EN 50131-2-6:2008
RISIAS_EN50131-6_TypeC.24186	EN 50131-6:2008
RISENV_24186.EN50130-5	EN 50130-5:2011
RISEMC_EN.24186	EN 50130-4:2011
RISEMC_EN.27941_28399	EN 50130-4:2011/A1:2014

Notice: The certificate is subject to terms and conditions overleaf. Any significant changes in design, construction of certified product and/or significant changes in production process may render this certificate invalid.

Document(s) Reviewed	
YO-2015-06-03	FPC Audit Report, Israel, 2015-06-03
P20870-FPC-2016	FPC Audit Report, China, 2016-07-01

Terms and Conditions

The certificate is subject to the following terms and conditions:

- The Certificate is only valid for the product(s) listed above
- The product(s) is(are) to be used in accordance with the manufacturer installation and operation instructions
- The Certificate remains valid based upon satisfactory bi-annual factory production control audits
- The product(s) listed in this certificate have been found to comply with the requirements of ISO/IEC 17065:2012 and ISO/IEC 17067:2013 for Product Certification Scheme 5

The following may render this Certificate invalid:

- Changes in the design, construction and/or software of the product(s)
- Significant changes in the manufacturing plan(s)
- Changes in the test methods and/or factory production control requirements included in the standard(s), used to assess the performance of the declared characteristics

END OF CERTIFICATE